

CH 36437
ADAM STRAIN

04/08/91

MD/OP CONSULTANT

ASSESSMENT OF PATIENT BY THEATRE STAFF:

If 'Yes' specify

YES/NO

Seen in Theatre before?

patient's understanding of sequence of

reties expressed:

any problems with:

Specify

tion of skin

er information relevant to preventing

Theatre Staff

054-029-069

AS - ROYAL

MASTER COPY
DO NOT USE

OPERATION DATE:

2. 12. 93

TIME: 09.30

PATIENT'S IDENTIFICATION CHECK LIST:

CHECK PATIENT'S ARMBAND WITH THEATRE LIST

Checked/Correct

NAME: Ask patient/ward staff/parent

Hospital Number

Date of Birth

Allergies

No

Yes

Specify

Have the following been removed?

Jewellery

Hair Accessories

Prosthesis

Yes

No

N/A

Comment

No

Yes

Has consent form been signed?

Has premedication been given?

Has the patient been fasting?

Sln f McHahan

Signature of Theatre Staff

CH 364377 Vol 6 Page 1

FOR PATIENT UNDERGOING SURGERY

ANALSTHETIC

ANALSTHETIC

AIMS	AIM OF CARE	NURSING ACTION	SIGNATURE	COMMENTS/EVALUATION	SIGNATURE
illness surgery	To express anxiety	Receive patient, Assess personal anxiety & anxiety of parents if present. Consider and respond to needs. Stay with patient	F. M. M. M.	Accompanied by mother. Very upset, comforted	F. M. M. M.
illness	Maintenance of clear airway	Have all necessary equipment available for loose teeth. Report to anaesthetist during anaesthetic procedure	F. M. M. M.	Available & functioning	F. M. M. M.
illness	Maintenance of fluid and blood volume	Monitor, record and report intake and output, if necessary. Weigh sybs & record & report to anaesthetist if necessary		N/A	
illness	Maintain dignity	Expose only as necessary	F. M. M. M.	Dignity maintained	F. M. M. M.
illness	Correct identify patient & prepared surgery	Ensure checking procedure is complete and relevant details recorded and completed.	F. M. M. M.	Correctly followed	F. M. M. M.

PROBLEMS	AIMS OF CARE	DEFINITION	STUDENT	COMMENTS/VALUATION	STUDENT
Causing a safe patient	Safe Transfer	At least 2 people assist and ensure	Portyale	Brakes applied Safe transfer	Portyale
Injury sustained with	Will not sustain injury	Position and Anaesthesia	Portyale	lithotomy position padding bandage used	Portyale
Surgical	Will not sustain injury	Apply distal electrode Correctly Connect to machine skin is not in contact with metal.		N/A	
Skin	Minimise the risk of skin damage	Assess skin 1 Before 2 After Surgery	Portyale	Skin intact	Portyale
of foreign	Ensure Foreign body is not retained	Check and report swabs needles and Report count	Shallan	All swabs are counted correct at end of procedure	Sub Shallan 0.0000
	Minimise the risk of infection	Ensure aseptic techniques and sterility maintained	Shallan	Asper's handlance	Shallan
Causing body core Body Temp.	Minimise risk of unnecessary Heat	Maintain at theatre temperature heating aids as necessary			

EMS	AIM OF CARE	NURSING ACTION	EVALUATION	SIGNATURE
Work of tion	To maintain clear airway	Nurse in semi-prone recovery position, surgery procedure. suction. Emergency at hand.	Clear Airway maintained	
of	Early detection & swift action	To observe closely, I.P.R. Blood Pressure and drowsiness. Care body temperature with before admission and To observe administration as prescribed, check Observation of any due to surgery.	Vital observations recorded from monitored	
	Control pain	Early detection of pain reaching peak. Administer analgesia as prescribed	Appears comfortable	
of communication	To provide complete report of patient in Theatre	To provide brief analysis surgery recovery and procedures.	Report to DCU Staff	
SS	Allay anxiety	Keep patient painfree Reassure patient by verbal communication. Allow parents to return to parents as soon as possible.	PC reassured & returned to SD + parents when awake & settled	