

THE ROYAL BELFAST HOSPITAL FOR SICK CHILDREN
ANAESTHETIC RECORD

CH 364377
MSTR ADAM STRAIN

69

Date of Surgery

Year	Month	Day
95	10	18

04/08/91

Male

EHSSB

CONSULTANT

WD/OP

PRE-OPERATIVE RECORD:

T/P/R

Wt. 2 BP _____ Hb. _____ g/L K+ 4.0 mmol/L

Other Lab _____

Last Solid _____

Time _____

Last Liquid _____

Time _____

Consent _____

Proposed Procedure _____

PREMEDICATION:

Dose _____

Route _____

Time _____

RE-OPERATIVE ASSESSMENT

A. S. A. CLASSIFICATION 1, 2, 3, 4, 5, E

SIGNIFICANT HISTORY

Several GA's. ? Bacteremia after last gastroscopy
Well today.

SIGNIFICANT FAMILY HISTORY

N.

CURRENT MEDICATION

PREVIOUS ANAESTHETIC

Many

PHYSICAL EXAM:

Airway

Normal ☐

No ☐

Loose Teeth

No ☐

☐

E.N.T.

Normal ☐

No ☐

Resp.

Normal ☐

No ☐

C.V.S.

Normal ☐

No ☐

C.N.S.

Normal ☐

No ☐

Hepatic/Renal

Normal ☐

No ☐

Other

Normal ☐

No ☐

DRUG REACTION OR ALLERGY

N/K.

ANTICIPATED PROBLEMS:

Cooperation.

PROPOSED MANAGEMENT

GA (+ Voltadol and
candol if for orchidology).

ANAESTHETIST'S SIGNATURE:

[Signature]

DATE

18/10/95.

058-025-069

AS - ROYAL

ANAESTHETIC

SURGERY

TIMES:

ENT FOR

☐	☐
--------------------------	--------------------------

ARRIVE IN THEATRE

☐	☐
--------------------------	--------------------------

☐	☐
--------------------------	--------------------------

☐	☐
--------------------------	--------------------------

Parental Presence Y ☒ N ☐

INTRAOPERATIVE RECO...

REGIONAL ☒

Caudal ☒

Spinal ☐

Epidual ☐

Other ☐

Procedure Aseptic Drug Bupivacaine Conc. vol 25mg in 15ml

GENERAL ☒

INDUCTION Preoxygenation ☐ Rapid Sequence with Cricoid Pressure ☐ Precurarization ☐ mg

STP 125 mg Propofol 200 mg Atropine 200 mg Sux 200 mg Location

Inhalation I.M./Rectal mg.

Topical Spray mg. Other

Intubation: Asleep ☒ Awake ☐ E.T.T. in situ ☐ Tracheostomy tube ☐ Size Laryngeal Mask ☐

Endotracheal tube: Oral ☒ Nasal ☐ Cuffed ☐ Non-Cuffed ☒ Direct Vision ☒ Blind ☐

Tube type and Size: PVC 4.5 RAE Other

Cuff inflated ☐ ml. Bilateral Air entry ☒ Throat Pack Used ☐ Air Leak ☒

Protection of Face Eyes taped

MAINTENANCE

CIRCUIT	MONITORS	ANAESTHETIC AGENTS	POSITION
☒ T-piece	Supportive	Inhalation	☒ Supine
☐ Bain	☐ Warning Blanket (temp.) <u> </u>	☒ Air	☐ Prone
☐ ADE	☐ Humidifier (temp.) <u> </u>	☒ O ₂	☐ Lateral
☐ Bronchoscope	☐ Radiant Heater	☒ N ₂ O	☐ Lithotomy
	☒ Gas Scavenging	☐ Halothane	
	☐ Blood Warmer	☐ Isoflurane	
	☐ Blood Microfilter		
☐ Ventilation		Intravenous	RELAXANTS
☐ Spontaneous	☒ Stethoscope Precordial/Esophageal	☐ Fentanyl	☒ Atracurium
☐ Manual	☒ Electrocardiogram	☐ Morphine infusion	☐ Vecuronium
☒ Ventilator Control	☒ BP Cuff <u> </u>	☐ Ketamine	☐ Suxameth
	☒ Dinamap	☐ Alfentanil	
Ventilator type <u>1 Luff 200</u>	☒ Temp. Probe Loc. <u> </u>		
<u> </u> /min	☒ SpO ₂		
Tidal volume <u> </u> ml.	☒ ETCO ₂		
P.I.P. <u>20</u>	☒ O ₂ Analyzer/mixer		
PEEP <u> </u>	☒ Agent Monitor		
Peripheral IV 1. Location <u>① ACF</u>		Type <u>B'fly</u>	Size <u> </u>
2. Location <u>② down</u>		Type <u>QC</u>	Size <u>22</u>
Arterial Line Location <u> </u>		Type <u> </u>	Size <u> </u>
CVP Line Location <u> </u>		Type <u> </u>	Size <u> </u>

FLUID BALANCE

Blood Loss	Total Urine Output	Intake
Swabs <u> </u>	<u> </u> ml.	1/5N Saline/4% <u> </u>
Suction <u> </u>		Hartmanns <u> </u>
Towels <u> </u>		10% Glucose <u> </u>
Specimens <u> </u>		Plasma/F.F.P. <u> </u>
Total <u> </u> ml.		Packed Cells <u> </u>

AS - ROYAL

058-025-070

11-

ESTIMATED FLUID DEFICIT _____ ML.

CALCULATED INTRAOP MAINTENANCE _____ ML./HOUR


[illegible][illegible]

TIME		15	30	45	12 ⁰⁰	15	30	45	15	30	45	15	30	45
L/MIN.	O ₂			2										
	N ₂ O			4										
	AIR													
	F _I O ₂			.36										
% VAPOUR	3.0													
	2.5													
	2.0													
	1.5													
	1.0													
	0.5													
ECG	✓ = NSR			✓	✓	✓	✓	✓						
SpO ₂				98	99	99	100	100	100	100				
ETCO ₂				38	45	45	45	43	43					

CVP		°C	mmHg
HR	•	38	200
BP	∨ ∧	36	180
◀ x O		34	160
Axillary		32	140
Nasopharyngeal		30	120
Rectal		28	100
Start of operation:		26	80
↑		24	60
		22	40
		20	20

RECOVERY WARD

ADMISSION TIME 3 10



RECOVERY ROOM SCORES:

		ON ADMISSION	5 MIN	15 MIN	30 MIN	DISCHARGE
AWAKE	Fully awake	☐	☐	☐	☐	☐
	Arousable	☒	☐	☐	☐	☐
	Not responding	☐	☐	☐	☐	☐
VENTILATION	Can cough or cry	☐	☐	☐	☐	☐
	Breathing easily	☒	☐	☐	☐	☐
	Airway requires attention	☐	☐	☐	☐	☐
MOVEMENT	Moving purposefully	☐	☐	☐	☐	☐
	Moving involuntarily	☐	☐	☐	☐	☐
	Not moving	☒	☐	☐	☐	☐

OXYGEN:

- ☒ 1. Mask
☐ 2. Endotracheal
☐ 3. Other

HUMIDITY:

DRUGS	DOSE	ROUTE	TIME	GIVEN BY	CHECKED BY
1. PCA					
2. Morphine Inf					
3. Epidural					
4. Other					
5.					

INTRAVENOUS FLUIDS

SITE:

SOLUTION: RATE

1. ml/hr
 2. ml/hr
 3. ml/hr

NG/DRAINS

DRAINAGE

1. m/s
 2. m/s
 3. m/s

WOUND Satisfactory

right angle

COMPLICATIONS

☐ yes ☐ no

RESPIRATORY COMPLICATIONS

- | | |
|--------------------------|----------------------------|
| ☐ | 1 Upper Airway Obstruction |
| ☐ | 2 Laryngospasm |
| ☐ | 3 Lower Airway Obstruction |
| ☐ | 4 Pneumothorax |
| ☐ | 5 Atelectasis |

Discharged to:

☐ Ward
☐ D.C.U.
☐ I.C.U.

Airway Required

Ventilatory Assistance Required

- | | |
|--------------------------|----------------|
| ☐ | 1 Oral |
| ☐ | 2 Nasal |
| ☐ | 3 Endotracheal |

☐ Manual

CARDIOVASCULAR COMPLICATIONS

- | | |
|--------------------------|--|
| ☐ | 1 Hypotension |
| ☐ | 2 Hypertension |
| ☐ | 3 Tachycardia |
| ☐ | 4 Bradycardia |
| ☐ | 5 Arrhythmia |
| ☐ | 6 Cardiac Arrest |
| ☐ | 7 _____ Open Cardiac Compression |
| ☐ | 8 _____ Closed Chest Cardiac Compression |

Discharge Time: ☐ ☐ hrs

DISCHARGE

SEDATION SCORE

- | | | |
|----|--------------------------|----------------|
| AP | ☐ | Awake/Crying |
| 1 | ☐ | Settled |
| 2 | ☐ | Semi-conscious |
| | ☐ | Unconscious |

PAIN SCORE

- | | | |
|---|--------------------------|----------|
| 0 | ☐ | No Pain |
| 1 | ☐ | Mild |
| 2 | ☐ | Moderate |
| 3 | ☐ | Severe |

VOMITING

Y ☐
N ☐

DISCHARGED BY

Nurse _____

Anaesthetist

AS - ROYAL

058-025-073

ANAESTHETIC COMPLICATIONS

INTRAOPERATIVE LAB RESULTS

ANAESTHETIC COMMENTS;

Time	
Temp.	
EGF	
pH	
pCO ₂	
pO ₂	
HCO ₃	
Na ⁺	
Ca ⁺⁺	
Glucose	
Hct	

ANAESTHETIST	ASSISTANT	SURGEON
OPERATION		
ANAESTHETIC TIME , TO		

POST-OPERATIVE ASSESSMENT

Awake	☐	Spont. ventilation	☐	CVS — No Problem	☐	Recovery	☐
Rousable	☐	Ventilation problem	☐	BP ↓	☐	I.C.U.	☐
Unconscious	☐	On Ventilator	☐	BP ↓	☐	Other	☐
		Orotracheal tube	☐	Dysrhythmias	☐		
		Nasotracheal tube	☐	Temp. > 38°C	☐		
		Tracheotomy tube	☐	Temp. < 35°C	☐		

POST OPERATIVE INSTRUCTIONS

Paracetamol 240mg PO or PR 4hrly prn
Plsids + in Recovery if well
Routine O₂ + EtO₂ please.

[Signature]