

R.B.H.S.C.
MEDICAL EXTERN
DR J.M.SAVAGE (MS)
Sample - PLASMA on 14\09\95

Surname STRAIN
Forename ADAM
Age/DoB 04\08\91 Sex M
Hospno. 364377

Labno.
30571

Parathormone

= 229 pg/ml

file
Started on CaCO₃

SUPRAREGIONAL ENDOCRINE LAB B.SHERIDAN

21\09\95

CH₃ - ... *Strongly positive* ... COO⁻
for

20211
 Repuo-

69LS4POLW006

558 001WJ

Sodium	137	mmol/l	3.5-5.0
Potassium	4.0	mmol/l	96-106
Chloride	87	mmol/l	2.5-7.0
Urea	17.3	mmol/l	58-85
Total Protein	67	g/l	2.23-2.63
Calcium	1.48	mmol/l	37-55
Albumin	34	g/l	85-100
...	...	...	...
...	...	...	...

Date of Report 14/09/1995

LAB. NUMBER 001045

Date of Report 14/09/1995

RBHSC BIOCHEMISTRY

CBV

ROYAL ALFRED HOSPITAL FOR SICK CHILDREN
MEDICAL EXTENSION
CONS. JYS

NAME STRAIN
HOSP. NO 00564377
AGE/DOB 04.03.91

ADAM

SEX M

TEST	RESULT	UNITS	REF. RANGE
HAEMOGLOBIN	4.7	G/DL	12-18
ERYTHROCYTES	3.29	MILLIONS/UL	4.0 - 6.5
P.C.V.	.235		0.35-0.54
M.C.V.	86.6	FL	80-99
M.C.H.C.	34.0	G/DL	30-38
M.C.H.	29.5	PG	27-33
LEUCOCYTES	5.77	THOUSANDS/UL	4-11
PLATELETS	304	THOUS./UL	150-500

W.

LAB. ACC. NO. 014000
DATE OF SPECIMEN 14.03.91
DATE OF REPORT 14.03.91

DEPT. OF HAEMATOLOGY
ROYAL ALFRED HOSPITAL

R.B.H.S.C.
MEDICAL EXTERN

DR J.M.SAVAGE (MS)

Surname STRAIN
Forename ADAM
Age/DOB 04\08\91 Sex M
Hosp.No. 364377

SERUM		VALUE		ADULT RANGE
CO2	=	26 mmol/l	(	22 TO 30)

Date of Specimen 17\08\95
Lab.No. 11884
Date of Report 18\08\95

G.S.Nesbitt
R.V.H. BIOCHEMISTRY

R.E.M.S.C.

WARD: ~~RECEIVED~~ Med X

CONSULT: JMS

SURNAME STRAIN

FORENAME ADAM

Age/D.O.B.: 04/08/1991

Sex M

NO: 364377

TEST	RESULT	UNITS	REF. RANGE
Sodium	139	mmol/l	135-145
Potassium	3.9	mmol/l	3.5-5.0
Chloride	98	mmol/l	96-106
Urea	13.2	mmol/l	2.5-7.0
Total Protein	73	g/l	60-85
Calcium	2.2	mmol/l	2.2-2.4
Albumin	48	g/l	35-50
Creatinine	0.8	mmol/l	55-100
Phosphate	1.51	mmol/l	
ALP	343	U/L	

date of Specimen 17/08/1995

AB NUMBER 001919

date of Report 17/08/1995

REHSC BIOCHEMISTRY

JD

ASSAY	RESULT	NORMAL RANGE
C REACTIVE PROTEIN	↑ 131 mg/l	less than 10 mg/l

No time stated on form*

AS

7/7/95

C REACTIVE PROTEIN

CLIN. CHEM. BCH

Potassium	3.4	mmol/l	3.5-5.0
Chloride	96	mmol/l	96-106
Urea	14.9	mmol/l	2.5-7.0
Total Protein	81	g/l	58-85
Creatinine	466	umol/l	35-100

Date of Specimen 17/07/1995
 LAB. NUMBER 000560
 Date of Report 17/07/1995

REHSC BIOCHEMISTRY

R.B.H.S.C.
WARD:MUSGRAVE WARD
CONSULT:JMS

FORENAME ADAM
Age/D.O.B.: 04/08/1991
NO: 364377

Sex M

TEST	RESULT	UNITS	REF. RANGE
Sodium	139	mmol/l	135-145
Potassium	3.7	mmol/l	3.5-5.0
Chloride	91	mmol/l	96-106
Urea	17.5	mmol/l	2.5-7.0
Total Protein	75	g/l	68-83
Calcium	2.53	mmol/l	2.23-2.63
Bilirubin	5	umol/l	2-17
Albumin	27	g/l	37-53
Creatinine	564	umol/l	33-104
Phosphate	1.83	mmol/l	
AST	23	U/L	
ALT	12	U/L	
ALP	124	U/L	
GGT	66	U/L	

Date of Specimen: 05/07/1995
LAB NUMBER 000217
Date of Report 05/07/1995

RBHSC BIOCHEMISTRY

SL

R.B.H.S.C.
WARD: ALLEN WARD
CONSULT: JHB

04/08/1991 Sex M
NO: 364377

TEST	RESULT	UNITS	REF. RANGE
Sodium	139	mmol/l	135-145
Potassium	3.5	mmol/l	3.5-5.0
Chloride	98	mmol/l	92-106
Urea	<u>16.2</u>	mmol/l	2.5-7.0
Total Creatinine	68	μmol/l	33-67
Bilirubin	0	μmol/l	2-17
Transaminase	<u>300</u>	μmol/l	30-100
ALT	25	U/L	
ALP	17	U/L	
GGT	81	U/L	

Date of Specimen: 14/07/1995
LAB. NUMBER 000491
Date of Report 14/07/1995

RBHSC BIOCHEMISTRY

SZ

R.B.H.S.C.
MUSGRAVE MEDICAL WARD

DR J.M.SAVAGE (MS)

SURNAME
Forename ADAM
Age/DOB 04\08\91 Sex M
Hosp.No. 364377

SPERM		VALUE	ADULT RANGE
CO2	=	28 mmol/l	(22 TO 30)
Amylase	=	44 U/l	(25 TO 125)

Date of Specimen 07\07\95
Lab.No. 27902
Date of Report 08\07\95

Am
G.S.Nesbitt
R.V.H. BIOCHEMISTRY

R.B.H.S.C.
MUSGRAVE MEDICAL WARD

DR J.M.SAVAGE (MS)

Surname STRAIN
Forename ADAM
Age/DOB 04/08/91 Sex M
Hosp.No. 364377

45

SERUM		VALUE	ADULT RANGE
Sodium	=	124* mmol/l	(135 TO 145)
Potassium	=	3.4* mmol/l	(3.5 TO 5.0)
Chloride	=	84* mmol/l	(98 TO 108)
CO2	=	18* mmol/l	(22 TO 33)
Urea	=	20.1* mmol/l	(3.3 TO 8.8)
Creatinine	=	69* umol/l	(40 TO 110)
Total Protein	=	65 g/l	(55 TO 80)
Albumin	=	36 g/l	(30 TO 45)
Calcium	=	2.12 mmol/l	(2.10 TO 2.57)
Phosphate	=	1.45* mmol/l	(0.80 TO 1.55)
Alk. Phos	=	333* U/l	(35 TO 120)

Date of Specimen 08/06/95
Lab.No. 15756
Date of Report 08/06/95

G.S.Nesbitt
R.V.-4. BIOCHEMISTRY

277

Consent form to be signed

O PATIENT A Strain DATE OF BIRTH 4.08.91 Sex M M. Savage
ADDRESS R.B.H.S.C.
WARD HOPD
HOSPITAL
REF NO

Presence of virus specific IgG indicates IMMUNITY, lack of specific IgG indicates NON-IMMUNITY.

SPECIMEN DATE
RECEIVED

R.B.H.S.C.

WARD: MURDER - MURDER H&A KX
CONSULT: DR M SAVAGE

SUBJECT: [REDACTED]
FORENAME: [REDACTED]

Age/D.O.B.: 04/08/1991
NO: 384577

Sex M

TEST	RESULT	UNITS	REF. RANGE
Sodium	132	mmol/l	135-145
Potassium	4.3	mmol/l	3.5-5.0
Urea	17.5 ✓	mmol/l	2.5-7.0
Total Protein	66	g/l	58-85
Calcium	2.27 —	mmol/l	2.23-2.63
Albumin	38.7	g/l	37-55
Creatinine	680	umol/l	35-100
Phosphate	1.79 ✗	mmol/l	
ALP	300	U/L	
Total CO2	31.4	mmol/l	
Chloride	87	mmol/l	96-106

? id.

Date of Specimen 09/11/1995
LAB. NUMBER 001406
Date of Report 09/11/1995

RBHSC BIOCHEMISTRY

JD

R.B.H.S.C.
WARD: MUSGRAVE WARD
CONSULT: DR M SAVAGE

SURNAME STRAIN
FORENAME ADAM
Age/D.O.B.: 04/08/1991
NO: 364377

Sex M

TEST	RESULT	UNITS	REF. RANGE
Sodium	142	mmol/l	135-145
Potassium	4.0	mmol/l	3.5-5.0
Urea	11.7	mmol/l	2.5-7.0
Total Protein	65	g/l	58-85
Calcium	2.32	mmol/l	2.23-2.63
Creatinine	642	umol/l	35-100
Phosphate	1.38	mmol/l	

Date of Specimen 18/10/1995
LAB.NUMBER 000561

Date of Report 18/10/1995

RBHSC BIOCHEMISTRY

R.B.H.S.C.

CONSULT: DR M SAVAGE

NO 364377

TEST	RESULT	UNITS	REF. RANGE
Sodium	141	mmol/l	135-145
Potassium	3.5	mmol/l	3.5-5.0
Urea	10.5 ✓	mmol/l	2.5-7.0
Total Protein	67	g/l	58-85
Calcium	2.31 ✓	mmol/l	2.23-2.63
Albumin	39.8	g/l	37-55
Creatinine	679	umol/l	35-100
Phosphate	1.32 ✓	mmol/l	
ALP	366	U/L	
Chloride	94	mmol/l	96-106

KS

Date of Specimen 12/10/1995
LAB. NUMBER 000349
Date of Report 12/10/1995

RBHSC BIOCHEMISTRY

SV

2008-09-15 14:00

15

TEST	RESULT	UNITS	REF. RANGE
1. Hemoglobin	14.0	g/dL	12.0-16.0
2. Hematocrit	42.0	%	37.0-47.0
3. RBC Count	4.5	millions/mm ³	4.0-5.5
4. WBC Count	10.0	thousands/mm ³	4.0-11.0
5. Platelet Count	250	thousands/mm ³	150-400

1.446 1.447 1.448 1.449 1.450 1.451 1.452 1.453 1.454 1.455 1.456 1.457 1.458 1.459 1.460 1.461 1.462 1.463 1.464 1.465 1.466 1.467 1.468 1.469 1.470 1.471 1.472 1.473 1.474 1.475 1.476 1.477 1.478 1.479 1.480 1.481 1.482 1.483 1.484 1.485 1.486 1.487 1.488 1.489 1.490 1.491 1.492 1.493 1.494 1.495 1.496 1.497 1.498 1.499 1.500 1.501 1.502 1.503 1.504 1.505 1.506 1.507 1.508 1.509 1.510 1.511 1.512 1.513 1.514 1.515 1.516 1.517 1.518 1.519 1.520 1.521 1.522 1.523 1.524 1.525 1.526 1.527 1.528 1.529 1.530 1.531 1.532 1.533 1.534 1.535 1.536 1.537 1.538 1.539 1.540 1.541 1.542 1.543 1.544 1.545 1.546 1.547 1.548 1.549 1.550 1.551 1.552 1.553 1.554 1.555 1.556 1.557 1.558 1.559 1.560 1.561 1.562 1.563 1.564 1.565 1.566 1.567 1.568 1.569 1.570 1.571 1.572 1.573 1.574 1.575 1.576 1.577 1.578 1.579 1.580 1.581 1.582 1.583 1.584 1.585 1.586 1.587 1.588 1.589 1.590 1.591 1.592 1.593 1.594 1.595 1.596 1.597 1.598 1.599 1.600 1.601 1.602 1.603 1.604 1.605 1.606 1.607 1.608 1.609 1.610 1.611 1.612 1.613 1.614 1.615 1.616 1.617 1.618 1.619 1.620 1.621 1.622 1.623 1.624 1.625 1.626 1.627 1.628 1.629 1.630 1.631 1.632 1.633 1.634 1.635 1.636 1.637 1.638 1.639 1.640 1.641 1.642 1.643 1.644 1.645 1.646 1.647 1.648 1.649 1.650 1.651 1.652 1.653 1.654 1.655 1.656 1.657 1.658 1.659 1.660 1.661 1.662 1.663 1.664 1.665 1.666 1.667 1.668 1.669 1.670 1.671 1.672 1.673 1.674 1.675 1.676 1.677 1.678 1.679 1.680 1.681 1.682 1.683 1.684 1.685 1.686 1.687 1.688 1.689 1.690 1.691 1.692 1.693 1.694 1.695 1.696 1.697 1.698 1.699 1.700 1.701 1.702 1.703 1.704 1.705 1.706 1.707 1.708 1.709 1.710 1.711 1.712 1.713 1.714 1.715 1.716 1.717 1.718 1.719 1.720 1.721 1.722 1.723 1.724 1.725 1.726 1.727 1.728 1.729 1.730 1.731 1.732 1.733 1.734 1.735 1.736 1.737 1.738 1.739 1.740 1.741 1.742 1.743 1.744 1.745 1.746 1.747 1.748 1.749 1.750 1.751 1.752 1.753 1.754 1.755 1.756 1.757 1.758 1.759 1.760 1.761 1.762 1.763 1.764 1.765 1.766 1.767 1.768 1.769 1.770 1.771 1.772 1.773 1.774 1.775 1.776 1.777 1.778 1.779 1.780 1.781 1.782 1.783 1.784 1.785 1.786 1.787 1.788 1.789 1.790 1.791 1.792 1.793 1.794 1.795 1.796 1.797 1.798 1.799 1.800 1.801 1.802 1.803 1.804 1.805 1.806 1.807 1.808 1.809 1.810 1.811 1.812 1.813 1.814 1.815 1.816 1.817 1.818 1.819 1.820 1.821 1.822 1.823 1.824 1.825 1.826 1.827 1.828 1.829 1.830 1.831 1.832 1.833 1.834 1.835 1.836 1.837 1.838 1.839 1.840 1.841 1.842 1.843 1.844 1.845 1.846 1.847 1.848 1.849 1.850 1.851 1.852 1.853 1.854 1.855 1.856 1.857 1.858 1.859 1.860 1.861 1.862 1.863 1.864 1.865 1.866 1.867 1.868 1.869 1.870 1.871 1.872 1.873 1.874 1.875 1.876 1.877 1.878 1.879 1.880 1.881 1.882 1.883 1.884 1.885 1.886 1.887 1.888 1.889 1.890 1.891 1.892 1.893 1.894 1.895 1.896 1.897 1.898 1.899 1.900 1.901 1.902 1.903 1.904 1.905 1.906 1.907 1.908 1.909 1.910 1.911 1.912 1.913 1.914 1.915 1.916 1.917 1.918 1.919 1.920 1.921 1.922 1.923 1.924 1.925 1.926 1.927 1.928 1.929 1.930 1.931 1.932 1.933 1.934 1.935 1.936 1.937 1.938 1.939 1.940 1.941 1.942 1.943 1.944 1.945 1.946 1.947 1.948 1.949 1.950 1.951 1.952 1.953 1.954 1.955 1.956 1.957 1.958 1.959 1.960 1.961 1.962 1.963 1.964 1.965 1.966 1.967 1.968 1.969 1.970 1.971 1.972 1.973 1.974 1.975 1.976 1.977 1.978 1.979 1.980 1.981 1.982 1.983 1.984 1.985 1.986 1.987 1.988 1.989 1.990 1.991 1.992 1.993 1.994 1.995 1.996 1.997 1.998 1.999 2.000 2.001 2.002 2.003 2.004 2.005 2.006 2.007 2.008 2.009 2.010 2.011 2.012 2.013 2.014 2.015 2.016 2.017 2.018 2.019 2.020 2.021 2.022 2.023 2.024 2.025 2.026 2.027 2.028 2.029 2.030 2.031 2.032 2.033 2.034 2.035 2.036 2.037 2.038 2.039 2.040 2.041 2.042 2.043 2.044 2.045 2.046 2.047 2.048 2.049 2.050 2.051 2.052 2.053 2.054 2.055 2.056 2.057 2.058 2.059 2.060 2.061 2.062 2.063 2.064 2.065 2.066 2.067 2.068 2.069 2.070 2.071 2.072 2.073 2.074 2.075 2.076 2.077 2.078 2.079 2.080 2.081 2.082 2.083 2.084 2.085 2.086 2.087 2.088 2.089 2.090 2.091 2.092 2.093 2.094 2.095 2.096 2.097 2.098 2.099 2.100 2.101 2.102 2.103 2.104 2.105 2.106 2.107 2.108 2.109 2.110 2.111 2.112 2.113 2.114 2.115 2.116 2.117 2.118 2.119 2.120 2.121 2.122 2.123 2.124 2.125 2.126 2.127

[illegible]

058-041-202

FOR CONSENT FORMS ONLY

For 6th Consent Form

For 5th Consent Form

For 4th Consent Form

For 3rd Consent Form

For 2nd Consent Form

For 1st Consent Form

For Anesthetic and Operation Consent, convulsive Therapy consent, Refusal of Treatment, Discharge against Advice, Post Mortem Consent, etc. forms.

REPORT MOUNT SHEET

NAME**HOSPITAL No.**

D.O.B.

AFFIX PATIENT'S IDENTIFICATION LABEL HERE

(Consent forms to be affixed to back of sheet)

	APPLY PATIENT'S IDENTIFICATION LABEL HERE	
11		←
10		←
9		←
8		←
7		←
6		←
5		←
4		←
3		←
2		←
1		←

FOR CONSENT FORMS ONLY

For 6th Consent Form

For 5th Consent Form

For 4th Consent Form

For 3rd Consent Form

For 2nd Consent Form

For 1st Consent Form

For Anaesthetic and Operation Consent, convulsive Therapy consent, Refusal of Treatment or Operation, Discharge against Advice, Post Mortem Consent, etc. forms.

REPORT MOUNT SHEET

(Consent forms to be affixed to back of sheet)

NAME

NAME

HOSPITAL No.

D.

AFFIX PATIENT'S IDENTIFICATION LABEL HERE

11

10

9

8

7

6

←

←

←

←

←

←

DEPARTMENT of BACTERIOLOGY The Royal Hospital, Belfast

NAME

CH 364377 K

FORENAMES

ADAM STRAIN

S 04/08/91

NATURE OF

REQUEST

O/S

CLINICAL DIAGNOSIS & REASON FOR REQUEST

discharge from etc

ANTIBIOTIC THERAPY

Koflex - Ce

W. ROAD

MW

WD/OP

CONSULTANT Surge

DOB EHSSB, B118-901

HOSPITAL No.

DOCTOR'S SIGNATURE

Dr O'Neil

TIME & DATE SPECIMEN TAKEN

AM/PM 6/11/95

MICROSCOPY

PSEUDOMONAS

RES

SE-15

— Ce.

ALL CAZ PRL AK CN NET

WICKS2001A

NOBIS2001A

ALBIS2001A

CHILDREN'S HOSPITAL

~~Musgrave Ward~~

DR M SAVAGE (MS)

FALLS ROAD

BELFAST

(1712)

Surname STRAIN

Forename ADAM

Age/DOB 04 04/08/91 Sex M

Hosp.No. 364377

Specimen SERUM

GENTAMICIN ASSAY.....

RANDOM LEVEL (mg/l)..... 3.6

* FOR FURTHER INFORMATION, IF REQUIRED... Phone 4150

Page 1 of 1

DEPARTMENT of BACTERIOLOGY The Royal Hospitals, Belfast			
PATIENT'S NAME		LAB No.	
J. S. J.		1195. 5495	
REQUEST		1195. 5496	
O + S, direct			
DOB		CLINICAL DIAGNOSIS & REASON FOR REFERRAL	
/ /		2 JTS	
CLINIC		ANTIBIOTIC THERAPY	
MUSA		Keflex	
CONSULTANT		DOCTORS SIGNATURE	
Dr. SAVAGE		PP Dr. Green	
HOSPITAL No.		TIME & DATE SPECIMEN TAKEN	
364377		2 AM PM 25/9/95	
MICROSCOPY			
NIL			

NO GROWTH

DOCTOR'S SIGNATURE	TIME & DATE SPECIMEN TAKEN
DEPT. OF	ANTHROPOMETER
CLINICAL DIVISION	ANTHROPOMETER

FALLS ROAD
BELFAST

Hosp. No. 364377
Specimen SWAB

SEX M

(4828) GASTROSTOMY CONTENTS

Yeasts.....	ISOLATED (+)
Coliform sp.....	ISOLATED
AMPICILLIN.....	RESISTANT
CEFOTAXIME.....	RESISTANT
CEFUROXIME.....	RESISTANT
NETILMICIN.....	SENSITIVE
CIPROFLOXACIN.....	SENSITIVE
GENTAMICIN.....	SENSITIVE

*Opsh sws
incl Op2*

Of An

DEPARTMENT of BACTERIOLOGY The Royal Hospitals, Belfast			
SURNAME STRAM		FORENAMES ADAM	
ADDRESS		NATURE OF SPECIMEN	
		REQUEST	
		DOB	
WARD/CLINIC MURRAY		CONSULTANT/GP Dr. Savage	
HOSPITAL No. 364377		DOCTORS SIGNATURE PP Dr. Mitchell	
MICROSCOPY		TIME & DATE SPECIMEN TAKEN 10 AM 22/9/58	
<i>see RBC.</i>			

No growth.

ROYAL BELFAST HOSPITAL FOR SICK
ALLEN WARD
CONS. MS

NAME STRAIN
HOSP. NO 00364377
AGE/DOB 04.06.91

ADAM

SEX M

TEST	RESULT	UNITS	REF. RANGE
HAEMOGLOBIN	5.7	G/DL	12-18
ERYTHROCYTES	2.04	MILLIONS/UL	4.0 - 6.5
P.C.V.	.174		0.36-0.54
M.C.V.	85.3	FL	80-99
M.C.H.C.	32.8	G/DL	30-38
M.C.H	27.9	PG	27-33
LEUCOCYTES	7.49	THOUSANDS/UL	4-11
PLATELETS	461	THOUS./UL	150-500
E.S.R.	65 ↓	MM/HR	0-20

LAB. ACC. NO. 014212
DATE OF SPECIMEN 14.07.95
DATE OF REPORT 15.07.95

DEPT OF HAEMATOLOGY
ROYAL VICTORIA HOSPITAL

REPORT MOUNT SHEET

NAME

ROYAL BELFAST HOSPITAL FOR SICK CHILDREN
WARD - MUSGRAVE WARD
CONS - MS

NAME
HOSP. NO
AGE/DOB

STRAIN
00364377
4. 8. 91

ADAM

SEX M

ABO GROUP

A

Rh(D) GROUP

POSITIVE

DIRECT COOMBS

NEGATIVE

NO ERYTHROCYTIC ANTIBODIES DETECTED

LAB. ACC. NO. 95/011072
DATE OF SAMPLE 6. 7. 95
DATE OF REPORT 6. 7. 95

BLOOD BANK
DEPARTMENT OF HAEMATOLOGY
VERIFIED BY P. J. COOKE

(Consent forms to be affixed to back of sheet)

AFFIX PATIENT'S IDENTIFICATION LABEL HERE

ROYAL BELFAST HOSPITAL FOR SICK CHILDREN
MUSGRAVE WARD
CONS. JMS

NAME STRAIN ADAM
HOSP. NO 00364377
AGE/DOB 04.08.91 SEX M

TEST	RESULT	UNITS	REF. RANGE
HAEMOGLOBIN	7.4	G/DL	12-18
ERYTHROCYTES	2.61	MILLIONS/UL	4.0 - 6.5
P.C.V.	.241		0.36-0.54
M.C.V.	92.3	FL	80-99
M.C.H.C.	30.7	G/DL	30-38
M.C.H	28.4	PG	27-33
LEUCOCYTES	9.11	THOUSANDS/UL	4-11
PLATELETS	480	THOUS./UL	150-500
E.S.R.	140	MM/HR	0-20

ROYAL BELFAST HOSPITAL FOR SICK CHILDREN
MUSGRAVE WARD
CONS. JMS

NAME STRAIN
HOSP. NO 00364377
AGE/DOB 04.03.91

ADAM
SEX M

TEST	RESULT	UNITS	REF. RANGE
HAEMOGLOBIN	6.4	G/DL	12-18
ERYTHROCYTES	2.20	MILLIONS/UL	4.0 - 6.5
P.C.V.	.201		0.36-0.54
M.C.V.	91.4	FL	30-99
M.C.H.C.	31.8	G/DL	30-38
M.C.H	29.1	PG	27-33
LEUCOCYTES	10.60	THOUSANDS/UL	4-11
PLATELETS	373	THOUS./UL	150-500

en

**** COAGULATION REPORT ****

ROYAL BELFAST HOSPITAL FOR SICK CHILDREN
MUSGRAVE WARD
CONS.

NAME STRAIN ADAM
HOSP. NO 00364377
AGE/DOB 04.08.91 SEX M

TEST	RESULT	UNITS	REF. RANGE
PROTHROMBIN	12.1	SECS	12-17
A.P.T.T.	28.4	SECS	29 - 40
THROMBIN C.T.	18.4	SECS	11-16
FIBRINOGEN	9.76	G/L	2.0-5.0
D-DIMER	<250	NANO-G/ML	<500

CONSULTANTS INITIALS NOT QUOTED ON REQUEST FORM

AGE/DOB 04.03.91 SEX M
HOSP. NO 00364377
NAME STRAIN

ADAM

ROYAL BELFAST HOSPITAL FOR SICK CHILDREN
MUSGRAVE WARD
CONS.

NAME STRAIN
HOSP. NO 00364377
AGE/DOB 04.03.91 SEX M
ADAM

TEST	RESULT	UNITS	REF. RANGE
PROTHROMBIN	12.6	SECS	12-17
A.P.T.T.	50.7	SECS	29 - 40
THROMBIN C.T.	17.2	SECS	11-16
FIBRINOGEN	5.26	G/L	2.0-5.0
D-DIMER	<250	IANO-G/ML	<500

ROYAL BELFAST HOSPITAL FOR SICK CHILDREN
MUSGRAVE WARD
CONS. MDS

NAME STRAIN
HOSP. NO 00364377
AGE/DOB 04.08.91

ADAM
SEX M

TEST	RESULT	UNITS	REF. RANGE
HAEMOGLOBIN	10.2	G/DL	12-18
ERYTHROCYTES	3.59	MILLIONS/UL	4.0 - 6.5
P.C.V.	33.8		0.38-0.54
M.C.V.	83.1	FL	80-99
M.C.H.C.	25.4	G/DL	30-38
M.C.H	10.50	PG	27-33
LEUCOCYTES	237	THOUSANDS/UL	4-11
PLATELETS		THOUS./UL	150-500

ROYAL BELFAST HOSPITAL FOR SICK CHILDREN
MUSGRAVE WARD
CONS. MS

NAME STRAIN ADAM
HOSP. NO 00364377
AGE/DOB 04.08.91 SEX M

DIFF. WHITE COUNT	PERCENT
NEUTROPHILS	58.5
MONOCYTES	4.0
LYMPHOCYTES	32.2
BASOPHILS	.2
EOSINOPHILS	5.1

SCREENING DIFFERENTIAL COUNT

em

SECRET

NAME	STRAIN
HOSP. NO	00364377
AGE/DOB	04.08.91

SEX M

TEST	RESULT	UNITS	REF. RANGE
HAEMOGLOBIN	7.7	G/DL	12-18
ERYTHROCYTES	2.68	MILLIONS/UL	4.0 - 6.5
P.C.V.	.242		0.36-0.54
M.C.V.	90.3	FL	80-99
M.C.H.C.	31.8	G/DL	30-38
M.C.H	28.7	PG	27-33
LEUCOCYTES	11.14.	THOUSANDS/UL	4-11
PLATELETS	172	THOUS./UL	150-500

or

WICOMED
WICOMED

WICOMED

WICOMED

WICOMED

WICOMED

24.8

80.3

15.5

1.1

1.1

1.1

24.8

80.3

15.5

1.1

1.1

1.1

20-28

80-88

0.20-0.28

0.20-0.28

1.1-1.1

1.1-1.1

ROYAL BELFAST HOSPITAL FOR SICK CHILDREN
MUSGRAVE WARD
CONS. MS

NAME STRAIN ADAM
HOSP. NO 00364377
AGE/DOB 04.08.91 SEX M

TEST	RESULT	UNITS	REF. RANGE
FULL BLOOD COUNT	SAMPLE CLOTTED.PLEASE REPEAT.		

ROYAL BELFAST HOSPITAL FOR SICK CHILDREN
MUSGRAVE WARD
CONS. MS

NAME STRAIN
HOSP. NO 00364377
AGE/DOB 04.08.91

ADAM

SEX M

TEST	RESULT	UNITS	REF. RANGE
HAEMOGLOBIN	7.7	G/DL	12-18
ERYTHROCYTES	2.73	MILLIONS/UL	4.0 - 6.5
P.C.V.	.240		0.36-0.54
M.C.V.	87.9	FL	80-99
M.C.H.C.	32.1	G/DL	30-38
M.C.H	28.2	PG	27-33
LEUCOCYTES	11.05	THOUSANDS/UL	4-11
PLATELETS	346	THOUS./UL	150-400

058-041-221

AS - ROYAL

RECOCAIED

270
11:02

1H002-100

100-100

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

7-11

ROYAL BELFAST HOSPITAL FOR SICK CHILDREN
MUSGRAVE WARD
CONS. JMS

NAME STRAIN
HOSP. NO 00364377
AGE/DOB 04.08.91

TEST	RESULT	UNITS	REF. RANGE
HAEMOGLOBIN	8.4	G/DL	12-18
ERYTHROCYTES	2.84	MILLIONS/UL	4.0 - 6.5
P.C.V.	.253		0.36-0.54
M.C.V.	89.1		
M.C.H.C.	33.2	FL	
M.C.H	29.6	G/DL	
LEUCOCYTES	14.66	PG	
PLATELETS		THOUSANDS/UL	

ACC. NO. 001230

HP

REF: 11/11/91
FENCOCX182

180
11/11/91

1W01

1W002V707V7

7-11

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

11/11/91

ROYAL BELFAST HOSPITAL FOR SICK CHILDREN
MUSGRAVE WARD
CONS. MS

NAME STRAIN
HOSP. NO 00364377
AGE/DOB 04.08.91

ADAM
SEX M

TEST	RESULT	UNITS	REF. RANGE
HAEMOGLOBIN	9.0	G/DL	12-18
ERYTHROCYTES	3.10	MILLIONS/UL	4.0 - 6.5
P.C.V.	.270		0.36-0.54
M.C.V.	87.1	FL	80-99
M.C.H.C.	33.3	G/DL	30-38
M.C.H	29.0	PG	27-33
LEUCOCYTES	13.98	THOUSANDS/UL	4-11
PLATELETS	457	THOUS./UL	150-500

67.18.12
75.00.12
W.C.H.
W.C.H.C.
W.C.A.
B.C.A.
67.18.12
75.00.12
W.C.H.
W.C.H.C.
W.C.A.
B.C.A.

13.88
58.0
32.2
81.1
51.0
2.10
2.0
W.C.H.

NAME
1H002.107
1H002.102.107
50
3107
17

0-50
120-200
4-11
53-32
20-38
80-86
0.20-0.21
0.22-0.23
0.24-0.25
0.26-0.27
0.28-0.29
0.30-0.31
0.32-0.33
0.34-0.35
0.36-0.37
0.38-0.39
0.40-0.41
0.42-0.43
0.44-0.45
0.46-0.47
0.48-0.49
0.50-0.51
0.52-0.53
0.54-0.55
0.56-0.57
0.58-0.59
0.60-0.61
0.62-0.63
0.64-0.65
0.66-0.67
0.68-0.69
0.70-0.71
0.72-0.73
0.74-0.75
0.76-0.77
0.78-0.79
0.80-0.81
0.82-0.83
0.84-0.85
0.86-0.87
0.88-0.89
0.90-0.91
0.92-0.93
0.94-0.95
0.96-0.97
0.98-0.99
1.00-1.01
1.02-1.03
1.04-1.05
1.06-1.07
1.08-1.09
1.10-1.11
1.12-1.13
1.14-1.15
1.16-1.17
1.18-1.19
1.20-1.21
1.22-1.23
1.24-1.25
1.26-1.27
1.28-1.29
1.30-1.31
1.32-1.33
1.34-1.35
1.36-1.37
1.38-1.39
1.40-1.41
1.42-1.43
1.44-1.45
1.46-1.47
1.48-1.49
1.50-1.51
1.52-1.53
1.54-1.55
1.56-1.57
1.58-1.59
1.60-1.61
1.62-1.63
1.64-1.65
1.66-1.67
1.68-1.69
1.70-1.71
1.72-1.73
1.74-1.75
1.76-1.77
1.78-1.79
1.80-1.81
1.82-1.83
1.84-1.85
1.86-1.87
1.88-1.89
1.90-1.91
1.92-1.93
1.94-1.95
1.96-1.97
1.98-1.99
2.00-2.01
2.02-2.03
2.04-2.05
2.06-2.07
2.08-2.09
2.10-2.11
2.12-2.13
2.14-2.15
2.16-2.17
2.18-2.19
2.20-2.21
2.22-2.23
2.24-2.25
2.26-2.27
2.28-2.29
2.30-2.31
2.32-2.33
2.34-2.35
2.36-2.37
2.38-2.39
2.40-2.41
2.42-2.43
2.44-2.45
2.46-2.47
2.48-2.49
2.50-2.51
2.52-2.53
2.54-2.55
2.56-2.57
2.58-2.59
2.60-2.61
2.62-2.63
2.64-2.65
2.66-2.67
2.68-2.69
2.70-2.71
2.72-2.73
2.74-2.75
2.76-2.77
2.78-2.79
2.80-2.81
2.82-2.83
2.84-2.85
2.86-2.87
2.88-2.89
2.90-2.91
2.92-2.93
2.94-2.95
2.96-2.97
2.98-2.99
3.00-3.01
3.02-3.03
3.04-3.05
3.06-3.07
3.08-3.09
3.10-3.11
3.12-3.13
3.14-3.15
3.16-3.17
3.18-3.19
3.20-3.21
3.22-3.23
3.24-3.25
3.26-3.27
3.28-3.29
3.30-3.31
3.32-3.33
3.34-3.35
3.36-3.37
3.38-3.39
3.40-3.41
3.42-3.43
3.44-3.45
3.46-3.47
3.48-3.49
3.50-3.51
3.52-3.53
3.54-3.55
3.56-3.57
3.58-3.59
3.60-3.61
3.62-3.63
3.64-3.65
3.66-3.67
3.68-3.69
3.70-3.71
3.72-3.73
3.74-3.75
3.76-3.77
3.78-3.79
3.80-3.81
3.82-3.83
3.84-3.85
3.86-3.87
3.88-3.89
3.90-3.91
3.92-3.93
3.94-3.95
3.96-3.97
3.98-3.99
4.00-4.01
4.02-4.03
4.04-4.05
4.06-4.07
4.08-4.09
4.10-4.11
4.12-4.13
4.14-4.15
4.16-4.17
4.18-4.19
4.20-4.21
4.22-4.23
4.24-4.25
4.26-4.27
4.28-4.29
4.30-4.31
4.32-4.33
4.34-4.35
4.36-4.37
4.38-4.39
4.40-4.41
4.42-4.43
4.44-4.45
4.46-4.47
4.48-4.49
4.50-4.51
4.52-4.53
4.54-4.55
4.56-4.57
4.58-4.59
4.60-4.61
4.62-4.63
4.64-4.65
4.66-4.67
4.68-4.69
4.70-4.71
4.72-4.73
4.74-4.75
4.76-4.77
4.78-4.79
4.80-4.81
4.82-4.83
4.84-4.85
4.86-4.87
4.88-4.89
4.90-4.91
4.92-4.93
4.94-4.95
4.96-4.97
4.98-4.99
5.00-5.01
5.02-5.03
5.04-5.05
5.06-5.07
5.08-5.09
5.10-5.11
5.12-5.13
5.14-5.15
5.16-5.17
5.18-5.19
5.20-5.21
5.22-5.23
5.24-5.25
5.26-5.27
5.28-5.29
5.30-5.31
5.32-5.33
5.34-5.35
5.36-5.37
5.38-5.39
5.40-5.41
5.42-5.43
5.44-5.45
5.46-5.47
5.48-5.49
5.50-5.51
5.52-5.53
5.54-5.55
5.56-5.57
5.58-5.59
5.60-5.61
5.62-5.63
5.64-5.65
5.66-5.67
5.68-5.69
5.70-5.71
5.72-5.73
5.74-5.75
5.76-5.77
5.78-5.79
5.80-5.81
5.82-5.83
5.84-5.85
5.86-5.87
5.88-5.89
5.90-5.91
5.92-5.93
5.94-5.95
5.96-5.97
5.98-5.99
6.00-6.01
6.02-6.03
6.04-6.05
6.06-6.07
6.08-6.09
6.10-6.11
6.12-6.13
6.14-6.15
6.16-6.17
6.18-6.19
6.20-6.21
6.22-6.23
6.24-6.25
6.26-6.27
6.28-6.29
6.30-6.31
6.32-6.33
6.34-6.35
6.36-6.37
6.38-6.39
6.40-6.41
6.42-6.43
6.44-6.45
6.46-6.47
6.48-6.49
6.50-6.51
6.52-6.53
6.54-6.55
6.56-6.57
6.58-6.59
6.60-6.61
6.62-6.63
6.64-6.65
6.66-6.67
6.68-6.69
6.70-6.71
6.72-6.73
6.74-6.75
6.76-6.77
6.78-6.79
6.80-6.81
6.82-6.83
6.84-6.85
6.86-6.87
6.88-6.89
6.90-6.91
6.92-6.93
6.94-6.95
6.96-6.97
6.98-6.99
7.00-7.01
7.02-7.03
7.04-7.05
7.06-7.07
7.08-7.09
7.10-7.11
7.12-7.13
7.14-7.15
7.16-7.17
7.18-7.19
7.20-7.21
7.22-7.23
7.24-7.25
7.26-7.27
7.28-7.29
7.30-7.31
7.32-7.33
7.34-7.35
7.36-7.37
7.38-7.39
7.40-7.41
7.42-7.43
7.44-7.45
7.46-7.47
7.48-7.49
7.50-7.51
7.52-7.53
7.54-7.55
7.56-7.57
7.58-7.59
7.60-7.61
7.62-7.63
7.64-7.65
7.66-7.67
7.68-7.69
7.70-7.71
7.72-7.73
7.74-7.75
7.76-7.77
7.78-7.79
7.80-7.81
7.82-7.83
7.84-7.85
7.86-7.87
7.88-7.89
7.90-7.91
7.92-7.93
7.94-7.95
7.96-7.97
7.98-7.99
8.00-8.01
8.02-8.03
8.04-8.05
8.06-8.07
8.08-8.09
8.10-8.11
8.12-8.13
8.14-8.15
8.16-8.17
8.18-8.19
8.20-8.21
8.22-8.23
8.24-8.25
8.26-8.27
8.28-8.29
8.30-8.31
8.32-8.33
8.34-8.35
8.36-8.37
8.38-8.39
8.40-8.41
8.42-8.43
8.44-8.45
8.46-8.47
8.48-8.49
8.50-8.51
8.52-8.53
8.54-8.55
8.56-8.57
8.58-8.59
8.60-8.61
8.62-8.63
8.64-8.65
8.66-8.67
8.68-8.69
8.70-8.71
8.72-8.73
8.74-8.75
8.76-8.77
8.78-8.79
8.80-8.81
8.82-8.83
8.84-8.85
8.86-8.87
8.88-8.89
8.90-8.91
8.92-8.93
8.94-8.95
8.96-8.97
8.98-8.99
9.00-9.01
9.02-9.03
9.04-9.05
9.06-9.07
9.08-9.09
9.10-9.11
9.12-9.13
9.14-9.15
9.16-9.17
9.18-9.19
9.20-9.21
9.22-9.23
9.24-9.25
9.26-9.27
9.28-9.29
9.30-9.31
9.32-9.33
9.34-9.35
9.36-9.37
9.38-9.39
9.40-9.41
9.42-9.43
9.44-9.45
9.46-9.47
9.48-9.49
9.50-9.51
9.52-9.53
9.54-9.55
9.56-9.57
9.58-9.59
9.60-9.61
9.62-9.63
9.64-9.65
9.66-9.67
9.68-9.69
9.70-9.71
9.72-9.73
9.74-9.75
9.76-9.77
9.78-9.79
9.80-9.81
9.82-9.83
9.84-9.85
9.86-9.87
9.88-9.89
9.90-9.91
9.92-9.93
9.94-9.95
9.96-9.97
9.98-9.99
10.00-10.01
10.02-10.03
10.04-10.05
10.06-10.07
10.08-10.09
10.10-10.11
10.12-10.13
10.14-10.15
10.16-10.17
10.18-10.19
10.20-10.21
10.22-10.23
10.24-10.25
10.26-10.27
10.28-10.29
10.30-10.31
10.32-10.33
10.34-10.35
10.36-10.37
10.38-10.39
10.40-10.41
10.42-10.43
10.44-10.45
10.46-10.47
10.48-10.49
10.50-10.51
10.52-10.53
10.54-10.55
10.56-10.57
10.58-10.59
10.60-10.61
10.62-10.63
10.64-10.65
10.66-10.67
10.68-10.69
10.70-10.71
10.72-10.73
10.74-10.75
10.76-10.77
10.78-10.79
10.80-10.81
10.82-10.83
10.84-10.85
10.86-10.87
10.88-10.89
10.90-10.91
10.92-10.93
10.94-10.95
10.96-10.97
10.98-10.99
11.00-11.01
11.02-11.03
11.04-11.05
11.06-11.07
11.08-11.09
11.10-11.11
11.12-11.13
11.14-11.15
11.16-11.17
11.18-11.19
11.20-11.21
11.22-11.23
11.24-11.25
11.26-11.27
11.28-11.29
11.30-11.31
11.32-11.33
11.34-11.35
11.36-11.37
11.38-11.39
11.40-11.41
11.42-11.43
11.44-11.45
11.46-11.47
11.48-11.49
11.50-11.51
11.52-11.53
11.54-11.55
11.56-11.57
11.58-11.59
11.60-11.61
11.62-11.63
11.64-11.65
11.66-11.67
11.68-11.69
11.70-11.71
11.72-11.73
11.74-11.75
11.76-11.77
11.78-11.79
11.80-11.81
11.82-11.83
11.84-11.85
11.86-11.87
11.88-11.89
11.90-11.91
11.92-11.93
11.94-11.95
11.96-11.97
11.98-11.99
12.00-12.01
12.02-12.03
12.04-12.05
12.06-12.07
12.08-12.09
12.10-12.11
12.12-12.13
12.14-12.15
12.16-12.17
12.18-12.19
12.20-12.21
12.22-12.23
12.24-12.25
12.26-12.27
12.28-12.29
12.30-12.31
12.32-12.33
12.34-12.35
12.36-12.37
12.38-12.39
12.40-12.41
12.42-12.43
12.44-12.45
12.46-12.47
12.48-12.49
12.50-12.51
12.52-12.53
12.54-12.55
12.56-12.57
12.58-12.59
12.60-12.61
12.62-12.63
12.64-12.65
12.66-12.67
12.68-12.69
12.70-12.71
12.72-12.73
12.74-12.75
12.76-12.77
12.78-12.79
12.80-12.81
12.82-12.83
12.84-12.85
12.86-12.87
12.88-12.89
12.90-12.91
12.92-12.93
12.94-12.95
12.96-12.97
12.98-12.99
13.00-13.01
13.02-13.03
13.04-13.05
13.06-13.07
13.08-13.09
13.10-13.11
13.12-13.13
13.14-13.15
13.16-13.17
13.18-13.19
13.20-13.21
13.22-13.23
13.24-13.25
13.26-13.27
13.28-13.29
13.30-13.31
13.32-13.33
13.34-13.35
13.36-13.37
13.38-13.39
13.40-13.41
13.42-13.43
13.44-13.45
13.46-13.47
13.48-13.49
13.50-13.51
13.52-13.53
13.54-13.55
13.56-13.57
13.58-13.59
13.60-13.61
13.62-13.63
13.64-13.65
13.66-13.67
13.68-13.69
13.70-13.71
13.72-13.73
13.74-13.75
13.76-13.77
13.78-13.79
13.80-13.81
13.82-13.83
13.84-13.85
13.86-13.87
13.88-13.89
13.90-13.91
13.92-13.93
13.94-13.95
13.96-13.97
13.98-13.99
14.00-14.01
14.02-14.03
14.04-14.05
14.06-14.07
14.08-14.09
14.10-14.11
14.12-14.13
14.14-14.15
14.16-14.17
14.18-14.19
14.20-14.21
14.22-14.23
14.24-14.25
14.26-14.27
14.28-14.29
14.30-14.31
14.32-14.33
14.34-14.35
14.36-14.37
14.38-14.39
14.40-14.41
14.42-14.43
14.44-14.45
14.46-14.47
14.48-14.49
14.50-14.51
14.52-14.53
14.54-14.55
14.56-14.57
14.58-14.59
14.60-14.61
14.62-14.63
14.64-14.65
14.66-14.67
14.68-14.69
14.70-14.71
14.72-14.73
14.74-14.75
14.76-14.77
14.78-14.79
14.80-14.81
14.82-14.83
14.84-14.85
14.86-14.87
14.88-14.89
14.90-14.91
14.92-14.93
14.94-14.95
14.96-14.97
14.98-14.99
15.00-15.01
15.02-15.03
15.04-15.05
15.06-15.07
15.08-15.09
15.10-15.11
15.12-15.13
15.14-15.15
15.16-15.17
15.18-15.19
15.20-15.21
15.22-15.23
15.24-15.25
15.26-15.27
15.28-15.29
15.30-15.31
15.32-15.33
15.34-15.35
15.36-15.37
15.38-15.39
15.40-15.41
15.42-15.43
15.44-15.45
15.46-15.47
15.48-15.49
15.50-15.51
15.52-15.53
15.54-15.55
15.56-15.57
15.58-15.59
15.60-15.61
15.62-15.63
15.64-15.65
15.66-15.67
15.68-15.69
15.70-15.71
15.72-15.73
15.74-15.75
15.76-15.77
15.78-15.79
15.80-15.81
15.82-15.83
15.84-15.85
15.86-15.87
15.88-15.89
15.90-15.91
15.92-15.93
15.94-15.95
15.96-15.97
15.98-15.99
16.00-16.01
16.02-16.03
16.04-16.05
16.06-16.07
16.08-16.09
16.10-16.11
16.12-16.13
16.14-16.15
16.16-16.17
16.18-16.19
16.20-16.21
16.22-16.23
16.24-16.25
16.26-16.27
16.28-16.29
16.30-16.31
16.32-16.33
16.34-16.35
16.36-16.37
16.38-16.39
16.40-16.41
16.42-16.43
16.44-16.45
16.46-16.47
16.48-16.49
16.50-16.51
16.52-16.53
16.54-16.55
16.56-16.57
16.58-16.59
16.60-16.61
16.62-16.63
16.64-16.65
16.66-16.67
16.68-16.69
16.70-16.71
16.72-16.73
16.74-16.75
16.76-16.77
16.78-16.79
16.80-16.81
16.82-16.83
16.84-16.85
16.86-16.87
16.88-16.89
16.90-16.91
16.92-16.93
16.94-16.95
16.96-16.97
16.98-16.99
17.00-17.01
17.02-17.03
17.04-17.05
17.06-17.07
17.08-17.09
17.10-17.11
17.12-17.13
17.14-17.15
17.16-17.17
17.18-17.19
17.20-17.21
17.22-17.23
17.24-17.25
17.26-17.27
17.28-17.29
17.30-17.31
17.32-17.33
17.34-17.35
17.36-17.37
17.38-17.39
17.40-17.41
17.42-17.43
17.44-17.45
17.46-17.47
17.48-17.49
17.50-17.51
17.52-17.53
17.54-17.55
17.56-17.57
17.58-17.59
17.60-17.61
17.62-17.63
17.64-17.65
17.66-17.67
17.68-17.69
17.70-17.71
17.72-17.73
17.74-17.75
17.76-17.77
17.78-17.79
17.80-17.81
17.82-17.83
17.84-17.85
17.86-17.87
17.88-17.89
17.90-17.91
17.92-17.93
17.94-17.95
17.96-17.97
17.98-17.99
18.00-18.01
18.02-18.03
18.04-18.05
18.06-18.07
18.08-18.09
18.10-18.11
18.12-18.13
18.14-18.15
18.16-18.17
18.18-18.19
18.20-18.21
18.22-18.23
18.24-18.25
18.26-18.27
18.28-18.29
18.30-18.31
18.32-18.33
18.34-18.35
18.36-18.37
18.38-18.39
18.40-18.41
18.42-18.43
18.44-18.45
18.46-18.47
18.48-18.49
18.50-18.51
18.52-18.53
18.54-18.55
18.56-18.57
18.58-18.59
18.60-18.61
18.62-18.63
18.64-18.65
18.66-18.67
18.68-18.69
18.70-18.71
18.72-18.73
18.74-18.75
18.76-18.77
18.78-18.79
18.80-18.81
18.82-18.83
18.84-18.85
18.86-18.87
18.88-18.89
18.90-18.91
18.92-18.93
18.94-18.95
18.96-18.97
18.98-18.99
19.00-19.01
19.02-19.03
19.04-19.05
19.06-19.07
19.08-19.09
19.10-19.11
19.12-19.13
19.14-19.15
19.16-19.17
19.18-19.19
19.20-19.21
19.22-19.23
19.24-19.25
19.26-19.27
19.28-19.29
19.30-19.31
19.32-19.33
19.34-19.35
19.36-19.37
19.38-19.39
19.40-19.41
19.42-19.43
19.44-19.45
19.46-19.47
19.48-19.49
19.50-19.51
19.52-19.53
19.54-19.55
19.56-19.57
19.58-19.59
19.60-19.61
19.62-19.63
19.64-19.65
19.66-19.67
19.68-19.69
19.70-19.71
19.72-19.73
19.74-19.75
19.76-19.77
19.78-19.79
19.80-19.81
19.82-19.83
19.84-19.85
19.86-19.87
19.88-19.89
19.90-19.91
19.92-19.93
19.94-19.95
19.96-19.97
19.98-19.99
20.00-20.01
20.02-20.03
20.04-20.05
20.06-20.07
20.08-20.09
20.10-20.11
20.12-20.13
20.14-20.15
20.16-20.17
20.18-20.19
20.20-20.21
20.22-20.