CORONERS ACT (NORTHERN IRELAND) 1959

Deposition of Witness taken on TUESDAY the 5th day of FEBRUARY 2003, at inquest touching the death of RAYCHEL FERGUSON, before me MR J L LECKEY Coroner for the District of GREATER BELFAST as follows to wit:-

The Deposition of DR BERNIE TRAINOR of PAEDIATRIC DEPARTMENT, ANTRIM AREA HOSPITAL, BUSH ROAD, ANTRIM who being sworn upon his oath, saith

I was the Paediatric Second Term Senior House Officer on call in Altnagelvin Hospital on Friday 8th June 2001. At 04.15 on Saturday 9th June, I was busy in the Neonatal Unit when I was informed by Dr Jeremy Johnston that a 9 year old surgical patient had recently had a seizure and he was asked to assess her. He felt that I should review her as she looked unwell so I went to Ward 6 to see her.

When I arrived on Ward 6, the Surgical Junior House Officer was checking Raychel Ferguson's blood results on the computer and I noted that her sodium was low at 119 and potassium was 3. No other results were available. I immediately asked if the blood sample had been taken from the same arm where the drip was running but I was told this was not the case. I told the Junior House Officer to urgently repeat the electrolytes, do blood cultures and a venous gas, which he did.

I then had a quick look at her medical notes and found out that she was a 9 year old girl day one post appendectomy. She had no history of epilepsy. Sodium was 137 on 7/6/01. Postoperatively, she had vomited 7 times but had no diarrhoea or temperatures. I was informed about her tonic clonic seizure around 03.00 hours, which required rectal and intravenous diazemuls.

I then went into room 1 on Ward 6 to examine Raychel. On examination she looked very unwell. She was unresponsive, pupils dilated and unreactive and breathing sounded "rattly" but she was maintaining saturations of 97% with face mask oxygen and had a heart rate of 160 per minute. She had a petechial rash around her face, neck, upper chest and her trunk appeared flushed. Limbs were floppy. Temperature was normal and haemacue had been checked and was 9. I then asked Staff Nurse Noble to contact Dr McCord (Consultant Paediatrician on call). I spoke to Dr McCord on the phone and explained Raychel's condition and asked him to come to the ward immediately. The nurses transferred Raychel to the Treatment room whilst I was on the phone. I then went into the treatment room where Raychel was with her father and I explained to Mr Ferguson that Raychel had had a seizure and at present we were unsure why but she was very ill and I was worried about her condition and my Consultant was coming to assess her. Mr Ferguson then left the room to phone his wife.

I asked for Dr Johnson to come and assist me and when he arrived he inserted a second intravenous line and gave Raychel intravenous antibiotics in view of the petechial rash. In the treatment room, Raychel remained unresponsive but was maintaining her saturations but after approximately 5 minutes she desaturated down to 70% and went apnoeic.

The anaesthetic registrar was fast bleeped while I commenced bag and mask ventilation. The anaesthetist arrived very quickly and immediately intubated Raychel. Dr McCord arrived just after this. We then got the results of the repeat electrolytes and discovered that the sodium was 118 and magnesium 0.59. Fluids were therefore changed to 0.9 % sodium chloride and the rate reduced to 40 mls per hour and I gave Raychel 1 ml of Magnesium Sulphate intromusculary into the left buttock. I also catheterised Raychel with a size 10 foley catheter. Arrangements were being made throughout this for an urgent brain scan and Dr McCord spoke to her parents.

I accompanied Raychel to the scanner at 05.30a.m. with the anaesthetist and a nurse and after the scan went with her to Intensive care after 7.00 I have in ordenand with Recepted Row to this. My duly related to medical Robert only and Roychol wer a surgued rabeit. The lab repuller come without the minutes of series appeal for. The sodumi Doesel of 118 hade me thenik winnedistaly of the possibility of hyponatraamia. I did not accompany Roughed to RIHSC. en encorterat hyporatraamia un. children Rrevensly. Sit in those coresti settien Level up prob or love or in Raychal's case and to children survival Antibiories were prien in case the patrachial rook significal maning this. Hensever, it could have been consed by · Britismou

CORONERS ACT (Northern Ireland), 1959

Deposition of Witness taken on

the.

day

of

20

, at inquest touching the death of

, before me

Coroner for the District of

as follows to wit:---

The Deposition of de rerive Trainor

of

who being sworn upon he

oath, saith

(Address)

Mr. Figher: A pakachial rook due ust seepsarily indicates Trobused vomiting When I sow Transchel et a did look very unwell. The surgical declus an the ward sould be regrentible for prescribing Aluids lactual ricians may be unobsed if agreed to agair. That did int happen with Roughal The elsebelyte know we repeated to confin to reading or results can sometimes be "found of the of the McCend within 5/10 min of souring Mayetal. Mr. McAlida: I won invadicately to Roughel whom Dr. Telmobin approached me. When I was speaking to Do , without Roughel in transferred to the breakmant room which Setter facilities. The desolucion

RF - PSNI

135

098-027-082