THE ROYAL HOSPITALS

LITIGATION MANAGEMENT OFFICE 4TH FLOOR, BOSTOCK HOUSE, RVH Ext:

MEMORANDUM

TO:

Professor I Young, Professor of Medicine, Wellcome Research

Laboratories, Mulhouse Building, RVH

FROM:

Mr A P Walby FRCS Ed, Associate Medical Director

SUBJECT:

Claire Roberts (deceased) DOB: 10/01/87

REF:

A.49/04/35/J

DATE:

7 ... June 2006

I enclose a copy of H M Coroner's verdict with respect to the death of Claire Roberts. After liaising with Heather Steen I have asked the Trust's solicitors to write to H M Coroner about what we believe to be an error in the Verdict.

Where H.M. Coroner states "I accept the evidence of Dr Heather Steen, Consultant Paediatrician, that the first blood test showing a serum sodium level of 121 mmol/I should have led to a clinical re-assessment of Claire. That blood test should have been repeated and at the same time there should have been a reduction in fluids." This is incorrect as there was a reduction of fluids as the saline was reduced to 2/3 of its value. I think HM Coroner meant to write ".... there should have been a greater reduction in fluids." To let this point go could create difficulty in the future so we are drawing it to HM Coroner's attention.

Pelson

Enc.

CR - ROYAL 139-016-001



A.49/04/35/J Page: 2-3

Litigation Management Office, 4th Floor, Bostock House, RVH - Tel:

Our Ref: A.49/04/35/J

2 ~ June 2006

Dr David Webb Consultant Paediatric Neurologist Our Lady's Hospital for Sick Children Crumlin DUBLIN 12

Dear Donal

Re: Claire Roberts (deceased)

I enclose a copy of H M Coroner's verdict with respect to the death of Claire Roberts. After liaising with Heather Steen I have asked the Trust's solicitors to write to H M Coroner about what we believe to be an error in the Verdict.

Where H.M. Coroner states "I accept the evidence of Dr Heather Steen, Consultant Paediatrician, that the first blood test showing a serum sodium level of 121 mmol/I should have led to a clinical re-assessment of Claire. That blood test should have been repeated and at the same time there should have been a reduction in fluids." This is incorrect as there was a reduction of fluids as the saline was reduced to 2/3 of its value. I think HM Coroner meant to write ".... there should have been a greater reduction in fluids." To let this point go could create difficulty in the future so we are drawing it to HM Coroner's attention.

Yours sincerely

Pelo

A P Walby FRCS Ed Associate Medical Director

Enc.

PATRON: HRH The Duchess of Kent The Royal Victoria Hospital The Royal Maternity Hospital The Royal Belfast Hospital for Sick Children The Dental Hospital

THE ROYAL GROUP OF HOSPITALS AND DENTAL HOSPITAL HEALTH AND SOCIAL SERVICES TRUST

Grosvenor R.oad, Belfast BT12 6BA Northern Ireland Telephone: 028 90.24 0503 Textphone: 028 9026 3393



THE ROYAL HOSPITALS

LITIGATION MANAGEMENT OFFICE 4TH FLOOR, BOSTOCK HOUSE, RVH Ext:

MEMORANDUM

TO:

 $(\cdot;)$

Dr A Sands, Consultant Cardiologist, Clark Clinic, RBHSC

FROM:

Mr A P Walby FRCS Ed, Associate Medical Director

SUBJECT:

Claire Roberts (deceased) DOB: 10/01/87

REF:

A.49/04/35/J

DATE:

2 June 2006

Ondra

I enclose a copy of H M Coroner's verdict with respect to the death of Claire Roberts. After liaising with Heather Steen I have asked the Trust's solicitors to write to H M Coroner about what we believe to be an error in the Verdict.

Where H.M. Coroner states "I accept the evidence of Dr Heather Steen, Consultant Paediatrician, that the first blood test showing a serum sodium level of 121 mmol/I should have led to a clinical re-assessment of Claire. That blood test should have been repeated and at the same time there should have been a reduction in fluids." This is incorrect as there was a reduction of fluids as the saline was reduced to 2/3 of its value. I think HM Coroner meant to write ".... there should have been a greater reduction in fluids." To let this point go could create difficulty in the future so we are drawing it to HM Coroner's attention.

Pelo

Enc.

CR - ROYAL 139-016-003