Mrs Elaine Way Chief Executive Western HSC Trust Trust Headquarters, MDEC Building Altnagelvin Hospital Site Glenshane Road LONDONDERRY BT47 6SB

Castle Buildings Stormont Estate Belfast BT4 3SQ

Tel: Fax:

Email:michael.mcbride

Your Ref: Our Ref:

Date:

April 2008

Dear Elaine

RE: AUDIT OF NPSA PATIENT SAFETY ALERT 22: REDUCING THE RISK OF HYPONATRAEMIA WHEN ADMINISTERING INTRAVENOUS FLUIDS TO CHILDREN

Dr Briscoe wrote to you on 27 April 2007 (HSC(SQS) 20/2007) to advise you of the above NPSA Alert, and to ask you to ensure an action plan was completed and an audit proforma returned to the DHSSPS.

Thank you for returning the audit template. It is clear that all HSC Trusts have undertaken significant work to reduce the risks of hyponatraemia when administering intravenous fluids to children. The audit proformas indicate that there is some variation across Trusts in:

- reporting of adverse incidents and near misses;
- audit programmes;
- ensuring that actions are implemented in all areas where children under 16 are treated, including "Adult" services where older children are treated; and
- signature of the proforma by appropriate person.

Your Medical Director has agreed to provide details of Trust audit undertaken/to be undertaken on the prescribing fluids in children. This will be discussed at my next meeting with medical directors on 19 May 2008.

DHSSPS 330-130-001

Could you please:

- Give details of the "triggers" for incident reporting in prescribing fluids for children;
- Confirm that the adverse incidents reported have been investigated and any lessons learnt have been disseminated across the Trust; and
- Confirm the new regional paediatric fluid wall chart is displayed in appropriate areas, and has replaced the previous wall chart issued in 2002.

I would be grateful for a reply by 2 May 2008. The reply should be sent to

Yours sincerely

DR MICHAEL McBRIDE Chief Medical Officer

cc: Medical Director of Trust Chief Executive, RQIA Roisin Perkins Dr Heather Neagle

DHSSPS 330-130-002