

Fjinlay, Tricia

From: McBride, Michael
Sent: 01 December 2008 18:01
To: Livingstone, Jim; Bradley, Martin; Morrow, Norman
Cc: Ferrin, Sean; McCormick, Andrew; McKee, Christine; 'McCarthy, Miriam'; Harper, Carolyn; Livingston, Heather; Donnelly, Martin; Scullion, Sean; Timoney, Mark; Taylor, Diane; Robinson, Philip; Porter, Nicola; Browne, Andrew; Mooney, Jennifer; Lawson, Elaine; Baird, Billy; Craughwell, Eva
Subject: RE: URGENT *** Submission re RQIA review into NPSA Safety Alert 22: Reducing the risk of hyponatraemia when administering intravenous fluids to children

Content.

Many thanks

Jim/Heather,

In respect of the summary of findings; para 4 and 6 in respect of clinical practice and training

Further to recent correspondence from the Belfast Trust and Professor Ian Young, can you please provide urgent clarification of current position following discussions with GAIN around concerns of potential vulnerabilities associated with having separate guidance for adults and children especially in circumstances where children are nursed on adults wards.

Heather I believe you were leading on this contact.

Dr Michael McBride
Chief Medical Officer
DHSSPS NI
Room C5.15
Castle Buildings
Stormont Estate
Upper Newtownards Road
BELFAST
BT4 3SQ

Tel: [REDACTED]
Email: Michael.McBride@dhsspsni.gov.uk [REDACTED]

From: Livingstone, Jim

Sent: 01 December 2008 17:47

To: McBride, Michael; Bradley, Martin; Morrow, Norman

Cc: Ferrin, Sean; McCormick, Andrew; McKee, Christine; 'McCarthy, Miriam'; Harper, Carolyn; Livingston, Heather; Donnelly, Martin; Scullion, Sean; Timoney, Mark; Taylor, Diane; Robinson, Philip; Porter, Nicola; Browne, Andrew; Mooney, Jennifer; Lawson, Elaine; Baird, Billy; Craughwell, Eva

Subject: URGENT *** Submission re RQIA review into NPSA Safety Alert 22: Reducing the risk of hyponatraemia when administering intravenous fluids to children

Please see URGENT Submission attached on publication of RQIA report on Hyponatraemia requiring your clearance prior to submission to Minister.

Jim

Dr Jim Livingstone

Director of Safety, Quality and Standards

DHSSPS

Room C3.8

Castle Buildings

Stormont

Belfast BT4 3SQ

Tel:

Fax: